

T&A Post Op Pain Control

DAY OF SURGERY

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone* (every 4 hours)	_____	_____	_____	_____	_____

DAY 1

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 2

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 3

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 4

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 5**

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 6

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 7

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 8

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 9

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

DAY 10

Tylenol (every 4 hours)	_____	_____	_____	_____	_____
Motrin (every 6 hours)	_____	_____	_____	_____	_____
Oxycodone (every 4 hours)	_____	_____	_____	_____	_____

You may give Tylenol (acetaminophen) every 4 hours while awake, not to exceed 5 doses in 24 hours.

You may give Motrin (ibuprofen) every 6 hours as needed.

You may give Oxycodone every 4 hours as needed for breakthrough pain.

*This prescription is physician specific and not all patients will receive.

**Pain peaks days 5-10. You may want to continue scheduled Tylenol and Motrin during your child's most painful times.